L Number	Hits	Search Text	DB	Time stamp
1	18887564	@ad<20000314	USPAT;	2004/06/05 10:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	2004/06/05 10:42
2	73	1 *** - * * * * * * * * * * * * * * * *	USPAT; US-PGPUB;	2004/06/05 10:42
	İ	stored) adj hash	EPO; JPO;	
			DERWENT;	
			IBM TDB	
3	82	@ad<20000314 and key with (Expect\$2	USPAT;	2004/06/05 10:44
		store\$2) adj hash	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	·
			IBM_TDB	2004/06/05 10:55
4	114		USPAT; US-PGPUB;	2004/06/05 10:55
		adj number) (serial adj number))	EPO; JPO;	
			DERWENT;	•
			IBM TDB	
5	47	@ad<20000314 and hash with ((processor	USPĀT;	2004/06/05 11:33
-		adj number) (serial adj number)) with key	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		0.4400000314 3 713/103 001 105 3	IBM_TDB USPAT;	2004/06/05 11:36
11	1708	@ad<20000314 and 713/193,201,185.ccls.	USPAT; US-PGPUB;	2004/06/05 11:36
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
12	81	(@ad<20000314 and 713/193,201,185.ccls.)	USPĀT;	2004/06/05 11:36
		and hash with (serial processor identifier	US-PGPUB;	
		ID)	EPO; JPO;	
			DERWENT; IBM TDB	
	670	@ad<20000314 and hash and (processor	USPAT;	2004/06/04 12:45
-	670	microprocessor cpu) with (serial	US-PGPUB;	2001,00,01 12.13
		identifier id)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	64		USPAT;	2003/12/03 15:06
		microprocessor cpu) with (serial	US-PGPUB; EPO; JPO;	
		identifier id) same (authentic\$6)	DERWENT;	
			IBM TDB	
_	8	@ad<20000314 and 713/168,169.ccls. and	USPAT;	2003/12/03 15:31
]	(hardware processor microprocessor cpu)	US-PGPUB;	
		adj (serial identif\$6 number)	EPO; JPO;	
			DERWENT;	
1	_	/And/20000214 and 712/160 160 and	IBM_TDB USPAT;	2003/12/03 15:13
-	3	(@ad<20000314 and 713/168,169.ccls. and (hardware processor microprocessor cpu)	USPAT; US-PGPUB;	2003/12/03 13:13
		adj (serial identif\$6 number)) and hash	EPO; JPO;	
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	DERWENT;	
			IBM_TDB	
-	6		USPĀT;	2003/12/03 16:13
		microprocessor cpu) adj (serial identif\$6	US-PGPUB;	
		number) with hash	EPO; JPO;	
			DERWENT; IBM TDB	
_	1	"5913227".PN.	USPAT	2003/12/03 15:50
-	1 1		USPAT	2003/12/03 16:15
-	65		USPAT;	2003/12/03 16:17
		identification number"	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		#5542007# DN	IBM_TDB USPAT	2003/12/03 16:17
1 _	1 1	"5542087".PN. "5506961".PN.	USPAT	2003/12/03 16:17
_	1	i e	USPAT	2003/12/03 10:19
	1	1	<u>,</u>	

-	2	6418473.pn.	USPAT; US-PGPUB;	2003/12/04 12:40
ļ			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	6418472.pn.	USPĀT;	2003/12/04 12:40
			US-PGPUB;	
			EPO; JPO;	
		•	DERWENT; IBM TDB	
_	32	(computer hardware) adj (serial identifier	USPAT;	2003/12/04 14:50
	52	id) and encrypted adj (content data) and	US-PGPUB;	
		hash	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0004/06/05 10 40
-	9	@ad<20000314 and ((computer hardware) adj	USPAT;	2004/06/05 10:40
		(serial identifier id) and encrypted adj (content data) and hash)	US-PGPUB; EPO; JPO;	
ļ		(Content data) and hash)	DERWENT;	
			IBM TDB	
_	3	@ad<20000314 and content with delivery and	USPĀT;	2003/12/04 15:06
		player with hash	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
	107	0-4/20000314 and dominates come book some	IBM_TDB USPAT;	2003/12/04 15:35
-	107	<pre>@ad<20000314 and decrypt\$5 same hash same (computer hardware processor) with (ID</pre>	US-PGPUB;	2003/12/04 13.33
		identification serial key)	EPO; JPO;	
		140	DERWENT;	
			IBM_TDB	
-	8	@ad<20000314 and decrypt\$5 same hash same	USPAT;	2003/12/04 15:38
		(computer hardware processor) adj (ID	US-PGPUB;	
		identification serial key)	EPO; JPO; DERWENT;	
	1		IBM TDB	
_	1	"5966440".PN.	USPAT	2003/12/04 15:45
_	16	daneels.inv.	USPAT;	2003/12/05 09:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	99	danneels.inv.	IBM_TDB USPAT;	2003/12/05 09:19
		dameers.inv.	US-PGPUB;	2003/12/03 03.13
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	"6289459".PN.	USPAT	2003/12/05 09:16
-	1 1	"5774544".PN. "5619657".PN.	USPAT USPAT	2003/12/05 09:16 2003/12/05 09:17
_	1	"5790664".PN.	USPAT	2003/12/05 09:17
_	1	"5790783".PN.	USPAT	2003/12/05 09:17
-	1	"5774544".PN.	USPAT	2003/12/05 09:18
-	1	"5946497".PN.	USPAT	2003/12/05 09:18
-	1	"5991413".PN.	USPAT	2003/12/05 09:18
_	1	"6067582".PN.	USPAT	2003/12/05 09:19 2003/12/05 09:19
_	1 1	"6070243".PN. "5774544".PN.	USPAT USPAT	2003/12/05 09:19
_	165	"Advanced Micro Devices" and serial adj	USPAT;	2003/12/05 09:19
		numbers	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1	1.55	Hadron and Minns Devices House and service and	IBM_TDB	2002/12/05 00:10
-	165	"Advanced Micro Devices" and serial adj	USPAT; US-PGPUB;	2003/12/05 09:19
		Humber	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	18847249	@ad<20000314	USPĀT;	2003/12/05 09:20
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
l .	I		T DIA T DD	1

_	121	("Advanced Micro Devices" and serial adj number) and @ad<20000314	USPAT; US-PGPUB; EPO; JPO;	2003/12/05 09:20
			DERWENT;	
-	2	(("Advanced Micro Devices" and serial adj number) and @ad<20000314) and hash	IBM_TDB USPAT; US-PGPUB;	2003/12/05 09:20
			EPO; JPO; DERWENT; IBM_TDB	
-	8	(US-6032257-\$ or US-6654886-\$ or US-6611870-\$ or US-5774544-\$ or US-5790783-\$ or US-5946497-\$ or US-5933620-\$ or US-5790663-\$).did.	USPĀT	2003/12/05 09:27
-	2	((US-6032257-\$ or US-6654886-\$ or US-6611870-\$ or US-5774544-\$ or US-5790783-\$ or US-5946497-\$ or US-5933620-\$ or US-5790663-\$).did.) and	USPAT	2003/12/05 09:36
		hash		
_	_	("Advanced Micro Devices" and serial adj number) and hash with serial with web	USPAT	2003/12/05 09:36
-] ,0	@ad<20000314 and hash with serial with web	USPAT	2003/12/05 09:38
_	119	<pre>@ad<20000314 and hash with serial @ad<20000314 and hash with serial with</pre>	USPAT USPAT	2003/12/05 09:39
	30	unique	001111	2003, 12, 03 03, 10
-	58	@ad<20000314 and content with delivery same player	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/08 12:30
-	7	@ad<20000314 and content with delivery same player same decrypt\$5	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/08 12:12
			IBM_TDB	
_	19	<pre>@ad<20000314 and (content media) with (delivery download\$2) same player same decrypt\$5</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/08 12:50
_	12	(@ad<20000314 and (content media) with (delivery download\$2) same player same decrypt\$5) not (@ad<20000314 and content with delivery same player same decrypt\$5)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/08 12:12
_	13	@ad<20000314 and content with delivery same download with (player program)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/08 12:49
_	5	(@ad<20000314 and content with delivery same download with (player program)) and decrypt\$5	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/08 12:49
_	53	@ad<20000314 and (content media) with (delivery download\$2) same (player program) same decrypt\$5	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/08 12:56
_	34	(@ad<20000314 and (content media) with (delivery download\$2) same (player program) same decrypt\$5) not (@ad<20000314	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/08 12:50
		and (content media) with (delivery download\$2) same player same decrypt\$5)	DERWENT; IBM_TDB	
-	25	<pre>@ad<20000314 and (content media) with protection and (download\$2) same (player program) same decrypt\$5</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/08 13:28
L		<u> </u>	IBM TDB	L

-	18	@ad<20000314 and (content media) with	USPAT;	2003/12/08 13:00
		delivery and (download\$2) same (player	US-PGPUB;	
		program) same decrypt\$5	EPO; JPO;	
1			DERWENT; IBM TDB	
l _	57	@ad<20000314 and (content media) with	USPAT;	2003/12/08 13:01
-] 3,	download\$4 and (download\$2) same (player	US-PGPUB;	2003/12/00 13.01
		program) same decrypt\$5	EPO; JPO;	
		program, came accepting	DERWENT;	
	•		IBM TDB	
_	36	@ad<20000314 and encrypted with (media	USPAT;	2003/12/08 13:03
	!	content) and (download\$2) with (player	US-PGPUB;	
		program application) same decrypt\$5	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	69	@ad<20000314 and liquid adj audio	USPAT;	2003/12/08 13:12
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		0.1400000014 1 1 1 1 1	IBM_TDB USPAT;	2003/12/08 13:13
-	0		US-PGPUB;	2003/12/08 13:13
		adj (content media) with program	EPO; JPO;	
			DERWENT;	
			IBM TDB	·
1 -	1	@ad<20000314 and download with encrypted	USPAT;	2003/12/08 13:19
	_	adj (content media) with player	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	@ad<20000314 and download with encrypted	USPAT;	2003/12/08 13:19
		adj (content media) with program	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	2002/12/00 13:24
-	13	@ad<20000314 and (media content) with	USPAT;	2003/12/08 13:34
		(distribut\$5 delivery) and decrypt\$5 same	US-PGPUB; EPO; JPO;	
		player same download	DERWENT;	
			IBM TDB	
l _	1	(@ad<20000314 and (media content music	USPAT;	2003/12/08 13:35
		video) with (distribut\$5 delivery) and	US-PGPUB;	
		decrypt\$5 same player same download) not	EPO; JPO;	
		(@ad<20000314 and (media content) with	DERWENT;	
		(distribut\$5 delivery) and decrypt\$5 same	IBM_TDB	
		player same download)		
-	14		USPAT;	2003/12/08 13:57
		video) with (distribut\$5 delivery) and	US-PGPUB;	
		decrypt\$5 same player same download	EPO; JPO;	
		·	DERWENT;	
		0.4<20000314 and /modia ====================================	IBM_TDB	2003/12/08 13:58
-	20	1 = 1	USPAT; US-PGPUB;	2003/12/00 13:58
		video) with (player) and decrypt\$5 same	EPO; JPO;	
		player same download	DERWENT;	
			IBM TDB	
_	21	@ad<20000314 and (media content music	USPAT;	2003/12/08 13:58
	"	video) and decrypt\$5 same player same	US-PGPUB;	
		download	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	223	url with hash	USPĀT;	2003/12/09 09:08
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1005000:	0.4<20000314	IBM_TDB USPAT;	2002/12/00 00:00
-	18850304	@ad<20000314	USPAT; US-PGPUB;	2003/12/09 09:06
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
1	1	1	1 2017 2010	L

-	98	(url with hash) and @ad<20000314	USPAT;	2003/12/09 09:06
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	•
_	47	(url with hash) and @ad<20000314 and	USPAT;	2003/12/09 09:08
		string	US-PGPUB;	
		-	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	23	url with hash with string	USPAT;	2003/12/09 09:14
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	7	(url with hash with string) and	USPAT;	2003/12/09 09:51
		@ad<20000314	US-PGPUB;	
			EPO; JPO;	
		9	DERWENT;	
			IBM_TDB	
-	37	713/200.ccls. and hash same identifier	USPAT;	2003/12/09 09:51
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	1561	709/229.ccls.	USPAT;	2003/12/09 09:51
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
- '	891	709/229.ccls. and @ad<20000314	USPAT;	2003/12/09 09:51
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	4	(709/229.ccls. and @ad<20000314) and (url	USPAT;	2003/12/09 09:52
	ļ	with hash)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	407	0-4/20000314 and /numerous micronyogosson	IBM_TDB USPAT;	2004/05/25 16:36
-	497	<pre>@ad<20000314 and (processor microprocessor cpu) with embedded with instructions</pre>	US-PGPUB;	2004/03/23 10.30
		cpu, with embedded with instructions	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	111	@ad<20000314 and (processor microprocessor	USPAT;	2004/05/25 16:37
		cpu) with embedded with instructions and	US-PGPUB;	
		(processor microprocessor cpu) with (id	EPO; JPO;	
		identifier serial)	DERWENT; IBM TDB	
_	234	@ad<20000314 and (processor microprocessor	USPAT;	2004/05/25 16:36
	2,4	cpu) with embedded with instructions and	US-PGPUB;	
		(processor microprocessor cpu) with (id	EPO; JPO;	
		identifier serial number)	DERWENT;	
			IBM_TDB	0004465455
-	2		USPAT;	2004/05/25 16:37
		microprocessor cpu) with embedded with	US-PGPUB;	
		instructions and (processor microprocessor cpu) with (id identifier serial)) and hash	EPO; JPO; DERWENT;	
		cha, with (in inchititer serial), and hash	IBM TDB	
-	190	@ad<20000314 and embedded adj instructions	USPĀT;	2004/06/04 12:50
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/05/04 50 55
-	17	` · ·	USPAT;	2004/06/04 12:50
		instructions) and serial adj number	US-PGPUB; EPO; JPO;	
		·	DERWENT;	
			IBM TDB	
L	1		12.1 122	1

				T	
-	0	(@ad<20000314 and embedded adj	USPAT;	2004/06/04	12:50
		instructions) and (send sent transmit\$3)	US-PGPUB;		
		with key with expected with hash	EPO; JPO;		
			DERWENT;		
			IBM TDB		
l -	l o	(@ad<20000314 and embedded adj	USPĀT;	2004/06/04	12:51
		instructions) and (send sent transmit\$3)	US-PGPUB;		
1		same key with expected with hash	EPO; JPO;		
		bame hey with empedeed with hadii	DERWENT;		
			IBM TDB		
		(@ad<20000314 and embedded adj	USPAT;	2004/06/04	12.51
-	١		US-PGPUB;	2004/00/04	12.51
		instructions) and key with expected with			
		hash	EPO; JPO;		
			DERWENT;		
			IBM_TDB		
-	18887564	@ad<20000314	USPAT;	2004/06/04	12:50
}			US-PGPUB;		
			EPO; JPO;		
			DERWENT;	:	
			IBM TDB		
_	l 0	@ad<20000314 and (send sent transmit\$3)	USPAT;	2004/06/04	12:51
		with key with expected with hash	US-PGPUB;		
		waste maj waste one-posterior	EPO; JPO;		
			DERWENT;		
			IBM TDB		
l _	0	@ad<20000314 and (send sent transmit\$3)	USPAT;	2004/06/04	13.03
-	١	same key with expected with hash	US-PGPUB;	2004/00/04	13.03
		same key with expected with hash			
			EPO; JPO;		
ŀ			DERWENT;		
		0.1.00000014	IBM_TDB	0004/06/04	10 [7
-	14	Can be considered to a second to be considered to the constant	USPAT;	2004/06/04	12:57
		hash	US-PGPUB;		
	[EPO; JPO;		
1			DERWENT;		
			IBM_TDB		
-	2	6070237.pn.	USPAT;	2004/06/04	12:57
1			US-PGPUB;		
			EPO; JPO;		
1			DERWENT;		
			IBM TDB		
-	0	@ad<20000314 and (send sent transmit\$3)	USPĀT;	2004/06/04	13:04
		with expected with hash	US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
1			IBM TDB		
_	0	@ad<20000314 and (send sent transmit\$3)	USPAT;	2004/06/04	13.05
_	١	with expect\$2 with hash	US-PGPUB;	2004/00/04	13.03
		MICH EVECTAS MICH HOSH			
	1		EPO; JPO;		
			DERWENT;		
L	l		IBM TDB		